



WHI Follow-Up Dataset

HRT and CaD Unblindings Prior to Study Closure

Data File: unbl_ct_pub **File Date:** 07/20/2007 **Structure:** Multiple rows per participant **Population:** HT & CaD participants

Participant ID

Variable # 1

Sas Name: ID

Sas Label: Participant ID

Usage Notes: none

Categories: Study: Administration

Study for which unblinding occurred

Variable # 2

Sas Name: UNBLSTDY

Sas Label: Study for which unblinding occurred

Usage Notes: none

Categories: Study Interventions: Unblinding

Values		N	%
1	HRT Unblinding	4,743	98.8%
2	CaD Unblinding	58	1.2%
		4,801	

Unblinding sequence within study

Unblinding sequence within study for the participant

Variable # 3

Sas Name: UNBLSEQ

Sas Label: Unblinding sequence within study

Usage Notes: none

Categories: Study Interventions: Unblinding

N	Min	Max	Mean	Std Dev
4801	1	5	1.12622	.39357

Unblinding days since CT randomization

Variable # 4

Sas Name: UNBLDAYS

Sas Label: Unblinding days since CT randomization

Usage Notes: none

Categories: Study Interventions: Unblinding

N	Min	Max	Mean	Std Dev
4801	2	3528	720.11456	595.68701

Unblinding days since CaD randomization

Variable # 5

Sas Name: UNBCADDY

Sas Label: Unblinding days since CaD randomization

Usage Notes: none

Categories: Study Interventions: Unblinding

N	Min	Max	Mean	Std Dev
3043	-733	3155	350.85902	605.24216

Unblinding due to study medication adverse effects

Variable # 6

Sas Name: ADVERSE

Sas Label: Unblinding due to study medication adverse effects

Usage Notes: none

Categories: Study Interventions: Unblinding

Values		N	%
0	No	2,595	54.1%
1	Yes	2,206	45.9%
		4,801	



WHI Follow-Up Dataset

HRT and CaD Unblindings Prior to Study Closure

Data File: unbl_ct_pub **File Date:** 07/20/2007 **Structure:** Multiple rows per participant **Population:** HT & CaD participants

Unblinding due to overdose

Variable # 7		Usage Notes: none	
Sas Name: OVERDOSE		Categories: Study Interventions: Unblinding	
Sas Label: Unblinding due to overdose			
Values		N	%
0	No	4,789	99.8%
1	Yes	12	0.2%
		4,801	

Unblinding due to other medical problem

Variable # 8		Usage Notes: none	
Sas Name: OTHERMED		Categories: Study Interventions: Unblinding	
Sas Label: Unblinding due to other medical problem			
Values		N	%
0	No	4,030	83.9%
1	Yes	771	16.1%
		4,801	

Gynecologist or designated physician consulted

Variable # 9		Usage Notes: none	
Sas Name: GYNCNSL		Categories: Study Interventions: Unblinding	
Sas Label: Gynecologist or designated physician consulted			
Values		N	%
0	No	158	3.3%
1	Yes	4,643	96.7%
		4,801	

Attempted to treat condition without unblinding

Variable # 10		Usage Notes: none	
Sas Name: TREAT		Categories: Study Interventions: Unblinding	
Sas Label: Attempted to treat condition without unblinding			
Values		N	%
0	No	2,839	59.1%
1	Yes	1,962	40.9%
		4,801	



WHI Follow-Up Dataset
HRT and CaD Unblindings Prior to Study Closure

Data File: unbl_ct_pub File Date: 07/20/2007 Structure: Multiple rows per participant Population: HT & CaD participants

Order to unblind given by gynecologist/physician

Order to unblind given by gynecologist or designated physician

Variable # 11

Sas Name: GYNORDER

Sas Label: Order to unblind given by gynecologist/physician

Usage Notes: none

Categories: Study Interventions: Unblinding

Values		N	%
0	No	259	5.4%
1	Yes	4,542	94.6%
		4,801	

Order to unblind given by PI

Order to unblind given by Clinical Center Principal Investigator

Variable # 12

Sas Name: PIORDER

Sas Label: Order to unblind given by PI

Usage Notes: none

Categories: Study Interventions: Unblinding

Values		N	%
0	No	3,842	80.0%
1	Yes	959	20.0%
		4,801	